



SAFETY DATA SHEET

Section 1: Identification

1.1 Product identifier:

Metal Trim and Tape-On Metal Trim

Quick Identifier	Common Name (on label)	Packaging	Product Code
HDP Cornerbead 1 1/4" 7'		72 Pcs per Carton	858193006206
HDP Cornerbead 1 1/4" 8'		63 Pcs per Carton	858193006213
HDP Cornerbead 1 1/4" 9'		56 Pcs per carton	858193006220
HDP Cornerbead 1 1/4" 10'		50 Pcs per Carton	858193006237
HDP Cornerbead 1 1/4" 12'		50 Pcs per Carton	858193006244
HDP Cornerbead Open Angle 8'		63 Pcs per Carton	858193006251
HDP Cornerbead Open Angle 9'		56 Pcs per Carton	858193006268
HDP Cornerbead Open Angle 10'		50 Pcs per Carton	858193006275
HDP L Metal 1/2" 8'		63 Pcs per Carton	858193006282
HDP L Metal 1/2" 10'		50 Pcs per Carton	858193006299
HDP L Metal 5/8" 8'		63 Pcs per Carton	858193006305
HDP L Metal 5/8" 10'		50 Pcs per Carton	858193006312
HDP J Metal 1/2" 10'		50 Pcs per Carton	858193006329
HDP J Metal 5/8" 10'		50 Pcs per Carton	858193006336
HDP U Metal 1/2" 10'		50 Pcs per Carton	858193006343
HDP U Metal 5/8" 10'		50 Pcs per Carton	858193006350
HDP 3/4 R Standard Bullnose 8'		50 Pcs per Carton	858193006367
HDP 3/4 R Standard Bullnose 9'		50 Pcs per Carton	858193006374
HDP 3/4 R Standard Bullnose 10'		50 Pcs per Carton	858193006381
HDP 3/4 R Standard Bullnose 12'		42 Pcs per Carton	858193006398
HDP L Metal Beaded 1/2" 8'		50 Pcs per Carton	858193006473
HDP L Metal Beaded 1/2" 10'		50 Pcs per Carton	858193006480
HDP L Metal Beaded 5/8" 8'		50 Pcs per Carton	858193006497
HDP L Metal Beaded 5/8" 10'		50 Pcs per Carton	858193006503
HDP L Metal No Bead 1/2" 8'		50 Pcs per Carton	858193006510
HDP L Metal No Bead 1/2" 10'		50 Pcs per Carton	858193006527
HDP L Metal No Bead 5/8" 8'		50 Pcs per Carton	858193006534
HDP L Metal No Bead 5/8" 10'		50 Pcs per Carton	858193006541
HDP Cornerbead Tape On 8'		50 Pcs per Carton	858193006404
HDP Cornerbead Tape On 9'		50 Pcs per Carton	858193006411
HDP Cornerbead Tape On 10'		50 Pcs per Carton	858193006428
HDP Cornerbead Tape On 12'		50 Pcs per Carton	858193006435
HDP Cornerbead Open Angle Tape On 8'		50 Pcs per Carton	858193006442
HDP Cornerbead Open Angle Tape On 9'		50 Pcs per Carton	858193006459
HDP Cornerbead Open Angle Tape On 12'		50 Pcs per Carton	858193006466
HDP 3/4 R Paperface Bullnose Tape On 8'		50 Pcs per Carton	858193006558
HDP 3/4 R Paperface Bullnose Tape On 9'		50 Pcs per Carton	858193006565
HDP 3/4 R Paperface Bullnose Tape On 10'		50 Pcs per Carton	858193006572
HDP 3/4 R Paperface Bullnose Tape On 12'		50 Pcs per Carton	858193006589

1.2 Recommended Uses:

Metal trim for interior use as corner bead wall trim.

Restrictions on use: None known



SAFETY DATA SHEET

1.3 Supplier:

Hamilton Drywall Products
6090 Willis Way
Monroe, NC, USA 28110
Phone: (704) 349-5055 Fax: (704) 349-5010
www.hamiltondp.com

1.4 Emergency telephone number:

Hamilton Drywall Products: (704) 349-5055

Section 2: Hazards Identification

2.1 Classification:

Not classified under any hazard class.

2.2 Label elements:

Not applicable - not classified

2.3 Other hazards:

Product may have sharp edges; normal handling may cause cuts and abrasions to skin.

Section 3: Composition / Information on Ingredients

<u>Chemical Name</u>	<u>CAS No.</u>	<u>Wt.%</u>
Electro Galvanized Steel	Not available	Not available
Paper Tape	Not available	Not available

Section 4: First-Aid Measures

4.1 Description of first-aid measures:

Inhalation: If breathing is difficult, remove affected person to fresh air and keep at rest in a position comfortable for breathing. If exposed or concerned: Get medical attention.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. If irritation persists get medical attention. Do not attempt to manually remove a solid particle from the eyes.

Skin Contact: Rinse skin with water. Follow workplace first-aid procedures for skin cuts or abrasions.

Ingestion: If exposed or concerned: Get medical advice.

4.2 Most important symptoms / effects acute and delayed:

Inhalation: None known with normal use of the product.

Eye Contact: Solid particles may cause mechanical irritation.

Skin Contact: Product may have sharp edges; may cause cuts and abrasions to skin.

Ingestion: None known with normal use of the product.

4.3 Indication of any immediate medical attention and special treatment needed:

Not applicable



SAFETY DATA SHEET

Section 5: Fire-Fighting Measures

5.1 Extinguishing media:

Use water and other extinguishing media appropriate to the surrounding fire conditions.

Unsuitable extinguishing media: None known.

5.2 Specific hazards arising from the product:

Product is not flammable.

5.3 Special protective equipment and precautions for fire-fighters:

As for any fire, fire-fighters protective clothing and positive pressure SCBA may be necessary.

Section 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective gloves, clothing and eye protection. Isolate spill area, preventing entry by unauthorized persons.

6.2 Environmental precautions:

Prevent releases into the environment.

6.3 Methods and material for containment and cleaning up:

Pick up spilled material for re-use or recycling.

Section 7: Handling and Storage

7.1 Precautions for safe handling:

Wear protective gloves and eye protection.

In workplaces where occupational exposure limits are exceeded, wear appropriate respiratory protection. (See Section 8).

Read the label and follow the directions for use.

Wash hands and exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities:

Store in dry conditions and protected from weather.

Keep out of reach of children.

Section 8: Exposure Controls / Personal Protection

8.1 Control parameters:

Occupational Exposure Limits: Consult local authorities for acceptable exposure limits.

<u>Ingredient</u>	<u>ACGIH® TLV®</u>	<u>U.S. OSHA PEL</u>	<u>Other Exposure Limits</u>
Galvanized Steel	Not established	Not established	Not established

8.2 Exposure controls:

Engineering Controls: General ventilation is adequate for application of product in its original form.

If engineering controls and work practices are not effective in controlling exposure to this material or if adverse health symptoms are experienced, wear suitable personal protection equipment including approved respiratory protection.

Eye/Face Protection: Wear safety glasses or goggles.

Skin Protection: Wear work gloves and appropriate work clothing to prevent cuts and abrasions to skin.

Respiratory Protection: Not required with normal use of the product.



SAFETY DATA SHEET

Section 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties:

Appearance:	Solid. Grey metal. Tape On products have paper facing.
Odor:	Odorless
Odor threshold:	Not applicable
pH:	Not applicable
Melting point/freezing point:	Not available
Initial boiling point and boiling range:	Not available
Flash point:	Not applicable
Flammability:	Not flammable
Auto-ignition temperature:	Not available
Upper/lower flammability or explosive limits:	Not applicable
Evaporation rate:	Not applicable
Vapor pressure:	Not applicable
Vapor density:	Not applicable
Relative density:	Not available
Solubility (ies):	Insoluble in water.
Partition coefficient (n-octanol/water):	Not available
Decomposition temperature:	Not available
Viscosity:	Not applicable
VOC content:	Not available

Section 10: Stability and Reactivity

10.1 Reactivity:

Not reactive under normal conditions of use.

10.2 Chemical Stability:

Normally stable.

10.3 Possibility of Hazardous Reactions:

None known.

10.4 Conditions to Avoid:

None known.

10.5 Incompatible Materials:

Strong acids.

10.6 Hazardous Decomposition Products:

Not available

Section 11: Toxicological Information

11.1 Information on toxicological effects:

Likely routes of exposure

Skin contact; Eye contact.

Acute toxicity

Inhalation: Under normal conditions of use there is no known acute toxicity by the inhalation route.

Ingestion: No known acute toxicity by the oral route.

Skin: No known acute toxicity by the dermal route.



SAFETY DATA SHEET

Acute toxicity data:

<u>Ingredient</u>	<u>LD₅₀ Oral</u>	<u>LD₅₀ Dermal</u>	<u>LC₅₀ Inhalation (4 hrs.)</u>
Electro Galvanized Steel	Not available	Not available	Not available

Skin corrosion / irritation

Data not available. May cause abrasive irritation in contact with the skin.

Serious eye damage / irritation

Data not available. Particulates in the eye may cause irritation by mechanical action.

STOT (Specific Target Organ Toxicity) – Single exposure

Data not available. No known health effects for the metal in solid form.

STOT (Specific Target Organ Toxicity) – Repeated exposure

Data not available. No known health effects for the metal in solid form.

Aspiration hazard

Does not meet criteria for classification for aspiration toxicity.

Sensitization - respiratory and/or skin

Not known to be a respiratory or skin sensitizer.

Carcinogenicity

Data not available. No known health effects for the metal in solid form.

Reproductive toxicity

Data not available

Germ cell mutagenicity

Data not available

Interactive effects

Data not available

Section 12: Ecological Information

12.1 Toxicity:

Ecotoxicity data are not available.

12.2 Persistence and degradability:

Not available

12.3 Bioaccumulative potential:

Not available

12.4 Mobility in soil:

Not available

Section 13: Disposal Considerations

13.1 Disposal methods:

Dispose of as an inert solid.

The required hazard evaluation of the waste and compliance with the applicable hazardous waste laws are the responsibility of the user. Dispose of contents/container in accordance with local, regional, national and international regulations.



SAFETY DATA SHEET

Section 14: Transport Information

14.1 UN Number

Not regulated by international transport regulations (IMDG, UN Model Regulations).

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not available

14.6 Special precautions for user

Not available

14.7 U.S. Hazardous Materials Regulation (DOT 49CFR):

Not regulated

14.8 Canada Transportation of Dangerous Goods (TDG) Regulations:

Not regulated

Section 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

USA

TSCA Status:

Substances are listed on the TSCA inventory or are exempt.

California Prop 65:

No known health effects for the metal in solid form.

Canada

WHMIS Classification:

Not classified

NSNR Status:

Component substances are listed on the on the DSL or are exempt.

Section 16: Other Information

Revision date:

December 20, 2016

References and sources for data:

CCOHS, Cheminfo
RTECS, Registry of Toxic Effects of Chemical Substances
NIOSH, Pocket Guide to Chemical Hazards.

Methods for classification:

USA: Haz Com Standard 29 CFR 1910.1200 (2012)
Canada: Controlled Products Regulations.
UNECE, Globally Harmonized System of Classification and Labelling of Chemicals (GHS)



SAFETY DATA SHEET

Legend to abbreviations:

ACGIH – American Conference of Governmental Industrial Hygienists
OSHA - Occupational Safety and Health Administration
TWA – Time weighted average
TLV - Threshold Limit Value
WHMIS – Workplace Hazardous Materials Information System.

Additional information:

This information is furnished without warranty, expressed, or implied, except that it is accurate to the best knowledge of Hamilton Drywall Products. The data on this sheet relates only to the specific material designated herein. Hamilton Drywall Products assumes no legal responsibility for the use or reliance on this data.